Project Location: Fearing Drive

FAX Number: 218-846-7266

email: zoning@co.becker.mn.us



COUNTY OF BECKER

Planning and Zoning

915 Lake Ave, Detroit Lakes, MN 56501 Phone: 218-846-7314 ~ Fax: 218-846-7266

PLANNING COMMISSION NOTICE OF PUBLIC HEARING

HEARING DATE AND LOCATION
July 12, 2016 @7:00 PM

3rd Floor Jury Assembly Room New Addition-Becker County Courthouse Detroit Lakes, MN. 56502

APPLICANT:

Jay Fearing and Melissa Fearing-Gooselaw 1004 4th Street S Moorhead, MN 56560

APPLICATION AND DESCRIPTION OF PROJECT:

Request a Certificate of Survey to allow two tracts of land with Tract A consisting of 7.6 acres +/- and Tract B consisting of 9.3 +/- on Agricultural zoned property.

LEGAL LAND DESCRIPTION: 060240002 Cormorant Township Upper Cormorant and Nelson Lake GOVT LOT 1; & GOVT LOT 2 LESS PLATS BLACK PASS SHORES & 1ST ADDN & LESS 5.03 AC TO 06.0240.001 & LESS 2.10 AC TO 06.0240.000, Section 16, TWP 138, Range 43

REFER TO BECKER COUNTY ZONING ORDINANCE

Replies/Comments: Interested parties are invited to submit to the Becker County Department of Planning, Zoning, and Land Use, written facts, arguments or objectives before the scheduled date of the Hearing. These statements should bear upon the suitability of the location and the adequacy of the Project and should suggest any appropriate changes believed to be desirable. Replies may be addressed to:

PLANNING AND ZONING DEPARTMENT 915 Lake Avenue Detroit Lakes, MN. 56501


If you have questions about the Project, feel free to call 218-846-7314.

Jurisdiction: This Project comes under the Regulatory Jurisdiction of the Becker County Zoning Laws.

Regulatory Authority: This Application will be reviewed according to the provisions of the Becker County Zoning Ordinance.

The decision whether to issue a Permit will be based on an evaluation of the probable impact including cumulative impacts, of the proposed activity. That decision will reflect the concern for both protection and utilization of important resources. All factors which may be relevant to the proposal will be considered including the cumulative effects: Land Use, Shoreline Protection, Water Supply and Conservation, Safety, Economics, in General, the Needs and Welfare of the People.

** Weather conditions may change the Hearing date and time. If bad weather occurs, please listen to the local Detroit Lakes Radio Stations or contact the Zoning Office, by 4:30 pm, for possible rescheduling of the Hearing.





SUBDIVISION / ZONE CHANGE BECKER COUNTY PLANNING & ZONING

PARCEL	
APP	ZONE / SURVEY
YEAR	
SCANNED	

915 LAKE AVENUE, DETROIT LAKES, MN 56501 PHONE (218) 846-7314 - FAX (218) 846-7266

Application for:	Zone Change X Certificate of Survey Preliminary Plat (Complete Section 1) (Complete Section 2) (Complete Section 3)	
Applicant's Nan	ne: JAY FEARING & MELISSA FEARING GOOSTIAN	
Applicant's Add		
	MUDAHEAD, MN 56560	
Telephone(s):	701-212-079/ Date of Application: 5-23-16	
Signature of App	plicant: Aff West MEHSOWLANS SLEVERIAL, INC.)	
Parcel ID Numb	per: 06024000 Project Address: 13648 FEARING DR.	(ANDERSON)
Legal Descriptio		11 mm
SECTION 1		
	nange For Existing Parcel Number	
Cu	urrent Zoning Requested Zoning	
SECTION 2		
	ate Of Survey: Number of Lots	
	noreland (within 1000 ft of lake) X Nonshoreland	
	urrent Zoning of property A 6-	
	a change of zone required? yes	
	yes, change from Zone to Zone.	
10	otal acreage of parcel to be subdivided	
	Include a copy of the purchase agreement if applicant is not the owner of the	
SECTION 3	operty.	
	iminary Plat:	
	umber of Late	
	ame of Subdivision	
	ame of Proposed Roads	
	oreland (within 1000 ft of lake) Non-shoreland	
Cu	urrent Zoning of property	
Is a	a change of zone required? yes no	
Ify	yes, change from Zone to Zone.	
	otal acreage of parcel to be subdivided	
**]	Include a copy of the purchase agreement if applicant is not the property owner.	
Doto D	Date Accepted 6/6/16 Authorized Signature Juleve Holoson 2	or to
Application Fac	Date Accepted / // Authorized Signature Holgspin	Jung lech
Application ree _	Notice Fee Recording Fee Recording Fee	MENDED
Date I ald	Receipt NumberMA	Y 24 ZU18
		ZONING





1118 Hwy 59 South, Detroit Lakes, Minnesota 56501 (office) 218-847-4289 (fax) 218-846-1945 www.meadowlandsurveying.com

Jay Fearing – Tract A - 7.6 acres, more or less

Land description:

That part of Government Lot 1 of Section 16, Township 138 North, Range 43 West of the Fifth Principal Meridian in Becker County, Minnesota, described as follows:

Commencing at an iron monument which designates the southeasterly corner of Lot 2, Block One, of BLACK PASS SHORES, said plat is on file and of record in the office of the Recorder in said County; thence South 67 degrees 30 minutes 35 seconds East 223.28 feet on an assumed bearing along the northerly line of Fearing Drive per said BLACK PASS SHORES to an iron monument; thence South 75 degrees 34 minutes 02 seconds East 18.47 feet continuing along the northerly line of said Fearing Drive to an iron monument at the southwesterly corner of Fearing Drive per BLACK PASS SHORES FIRST ADDITION, said plat is on file and of record in the office of the Recorder in said County; thence following the westerly line of said Fearing Drive per BLACK PASS SHORES FIRST ADDITION on the following six courses: North 14 degrees 26 minutes 00 seconds East 173.87 feet to an iron monument; thence North 08 degrees 40 minutes 57 seconds East 155.32 feet to an iron monument; thence northerly on a curve concave to the west, having a central angle of 48 degrees 21 minutes 15 seconds and a radius of 112.00 feet, for a distance of 94.52 feet (chord bearing North 15 degrees 29 minutes 41 seconds West) to an iron monument; thence northwesterly on a curve concave to the southwest, having a central angle of 51 degrees 47 minutes 51 seconds and a radius of 35.00 feet, for a distance of 31.64 feet (chord bearing North 65 degrees 34 minutes 14 seconds West) to an iron monument; thence northwesterly on a curve concave to the northeast, having a central angle of 59 degrees 14 minutes 10 seconds and a radius of 75.00 feet, for a distance of 77.54 feet (chord bearing North 61 degrees 51 minutes 04 seconds West) to an iron monument; thence northerly on a curve concave to the east, having a central angle of 50 degrees 25 minutes 13 seconds and a radius of 75.00 feet, for a distance of 66.00 feet (chord bearing North 07 degrees 01 minute 22 seconds West) to an iron monument; thence North 25 degrees 42 minutes 23 seconds West 1491.10 feet to an iron monument, said point is the point of beginning; thence North 38 degrees 54 minutes 59 seconds East 111.92 feet to an iron monument; thence continuing North 38 degrees 54 minutes 59 seconds East 13 feet, more or less, to the water's edge of Nelson Lake; thence northwesterly along the water's edge of said Nelson Lake to the north line of said Section 16; thence South 88 degrees 51 minutes 08 seconds West 9 feet, more or less, along the north line of said Section 16 to an iron monument; thence continuing South 88 degrees 51 minutes 08 seconds West 747.38 feet along the north line of said Section 16 to an iron monument; thence continuing South 88 degrees 51 minutes 08 seconds West 16 feet, more or less, along the north line of said Section 16 to the water's edge of Upper Cormorant Lake; thence southeasterly along the water's edge of said Upper Cormorant Lake to the intersection with a line which bears South 38 degrees 54 minutes 59 seconds West from the point of beginning; thence North 38 degrees 54 minutes 59 seconds East 22 feet, more or less, to the point of beginning. The above described tract contains 7.6 acres, more or less.

TOGETHER WITH AND SUBJECT TO a 33.00 foot wide easement for driveway purposes over, under and across part of said Government Lot 1, part of Government Lot 2 of said Section 16, and part of the above tract as described in Document No. 607357, on file and of record in the office of the Recorder in said County.

I hereby certify that this plan, specification, or report was prepared by me or under my direct supervision and that I am a duly Licensed Land Surveyor under the laws of the State of Minnesota and that the above legal description was prepared from information on Certificate of Survey T8966-15 dated May 23, 2016 and said legal description is legally sufficient to locate the boundary lines shown on said Certificate of Survey.

Scott R. Walz

Minnesota Licensed Land Surveyor No. 50320



1118 Hwy 59 South, Detroit Lakes, Minnesota 56501 (office) 218-847-4289 (fax) 218-846-1945 www.meadowlandsurveying.com

Melissa Fearing Gooselaw - Tract B - 9.3 acres, more or less

Land description:

That part of Government Lots 1 and 2 of Section 16, Township 138 North, Range 43 West of the Fifth Principal Meridian in Becker County, Minnesota, described as follows:

Commencing at an iron monument which designates the southeasterly corner of Lot 2, Block One, of BLACK PASS SHORES, said plat is on file and of record in the office of the Recorder in said County; thence South 67 degrees 30 minutes 35 seconds East 223.28 feet on an assumed bearing along the northerly line of Fearing Drive per said BLACK PASS SHORES to an iron monument; thence South 75 degrees 34 minutes 02 seconds East 18.47 feet continuing along the northerly line of said Fearing Drive to an iron monument at the southwesterly corner of Fearing Drive per BLACK PASS SHORES FIRST ADDITION, said plat is on file and of record in the office of the Recorder in said County; thence following the westerly line of said Fearing Drive per BLACK PASS SHORES FIRST ADDITION on the following six courses: North 14 degrees 26 minutes 00 seconds East 173.87 feet to an iron monument; thence North 08 degrees 40 minutes 57 seconds East 155.32 feet to an iron monument; thence northerly on a curve concave to the west, having a central angle of 48 degrees 21 minutes 15 seconds and a radius of 112.00 feet, for a distance of 94.52 feet (chord bearing North 15 degrees 29 minutes 41 seconds West) to an iron monument; thence northwesterly on a curve concave to the southwest, having a central angle of 51 degrees 47 minutes 51 seconds and a radius of 35.00 feet, for a distance of 31.64 feet (chord bearing North 65 degrees 34 minutes 14 seconds West) to an iron monument; thence northwesterly on a curve concave to the northeast, having a central angle of 59 degrees 14 minutes 10 seconds and a radius of 75.00 feet, for a distance of 77.54 feet (chord bearing North 61 degrees 51 minutes 04 seconds West) to an iron monument; thence northerly on a curve concave to the east, having a central angle of 50 degrees 25 minutes 13 seconds and a radius of 75.00 feet, for a distance of 66.00 feet (chord bearing North 07 degrees 01 minute 22 seconds West) to an iron monument hereinafter referred to as Point A; thence North 25 degrees 42 minutes 23 seconds West 1491.10 feet to an iron monument, said point is the point of beginning; thence North 38 degrees 54 minutes 59 seconds East 111.92 feet to an iron monument; thence continuing North 38 degrees 54 minutes 59 seconds East 13 feet, more or less, to the water's edge of Nelson Lake; thence southerly along the water's edge of Nelson Lake to the westerly line of Lot 4, Block One, of said BLACK PASS SHORES FIRST ADDITION; thence South 09 degrees 23 minutes 18 seconds West 23 feet, more or less, along the westerly line of said Lot 4 to an iron monument; thence continuing South 09 degrees 23 minutes 18 seconds West 288.33 feet along the westerly line of said Lot 4 to an iron monument at the southwesterly corner of said Lot 4; thence southwesterly along the westerly line of said Fearing Drive per BLACK PASS SHORES FIRST ADDITION on a curve concave to the southeast, having a central angle of 50 degrees 25 minutes 13 seconds and a radius of 75.00 feet, for a distance of 66.00 feet (chord bearing South 44 degrees 05 minutes 42 seconds West) to an iron monument at the aforementioned Point A; thence North 40 degrees 26 minutes 21 seconds West 550.65 feet to an iron monument; thence North 67 degrees 57 minutes 28 seconds West 25.61 feet to an iron monument; thence continuing North 67 degrees 57 minutes 28 seconds West 24 feet, more or

less, to the water's edge of Upper Cormorant Lake; thence northerly along the water's edge of said Upper Cormorant Lake to the intersection with a line which bears South 38 degrees 54 minutes 59 seconds West from the point of beginning; thence North 38 degrees 54 minutes 59 seconds East 22 feet, more or less, to the point of beginning. The above described tract contains 9.3 acres, more or less.

SUBJECT TO a 33.00 foot wide easement for driveway purposes over, under and across part of the above tract as described in Document No. 607357, on file and of record in the office of the Recorder in said County.

I hereby certify that this plan, specification, or report was prepared by me or under my direct supervision and that I am a duly Licensed Land Surveyor under the laws of the State of Minnesota and that the above legal description was prepared from information on Certificate of Survey T8966-15 dated May 23, 2016 and said legal description is legally sufficient to locate the boundary lines shown on said Certificate of Survey.

Scott R. Walz

Minnesota Licensed Land Surveyor No. 50320

Westerly line of Lot 4. Block One, BLACK PASS Tract B 2245'± of shoreline on Nelson Lake Water's edge of Nelson Lake per field location Water's edge of Nelson Lake per cerial photo THE PERSON NAMED IN COLUMN TO PERSON NAMED I OF SURVEY Tract B 9.3 Acres, more or less IN GOVERNMENT LOTS 1 AND 2 SECTION 16–138–43 BECKER COUNTY, MINNESOTA Tract A —236'± of shareline on of Nelson Lake CERTIFICATE Control line for legal description CORMORANT LAKE UPPER (WEST) Tract A 7.6 Acres, more or less 1, 1,) ----S88'51'08"W 772.38'±---138 I (2) SECTION UPPER (WEST) CORMORANT LAKE Water's edge of Upper Cormernal Lake per -aerial photo



COUNTY OF BECKER

Planning and Zoning

915 Lake Ave, Detroit Lakes, MN 56501 Phone: 218-846-7314 ~ Fax: 218-846-7266

Project Location: 58505 Grant Street

FAX Number: 218-846-7266

email: zoning@co.becker.mn.us

PLANNING COMMISSION NOTICE OF PUBLIC HEARING

HEARING DATE AND LOCATION
July 12, 2016 @7:00 PM

3rd Floor Jury Assembly Room New Addition-Becker County Courthouse

Detroit Lakes, MN. 56502

APPLICANT: Adam Williams 58501 Grant Street Park Rapids, MN 56470

APPLICATION AND DESCRIPTION OF PROJECT:

Request a Conditional Use Permit to operate a Shrimp Farm located on Agricultural zoned property.

LEGAL LAND DESCRIPTION: 210071001 Osage Township WEST 1155' OF NE1/4, Section 13, TWP 140, Range 36

REFER TO BECKER COUNTY ZONING ORDINANCE

Replies/Comments: Interested parties are invited to submit to the Becker County Department of Planning, Zoning, and Land Use, written facts, arguments or objectives before the scheduled date of the Hearing. These statements should bear upon the suitability of the location and the adequacy of the Project and should suggest any appropriate changes believed to be desirable. Replies may be addressed to:

PLANNING AND ZONING DEPARTMENT 915 Lake Avenue Detroit Lakes, MN. 56501

If you have questions about the Project, feel free to call 218-846-7314.

Jurisdiction: This Project comes under the Regulatory Jurisdiction of the Becker County Zoning Laws.

Regulatory Authority: This Application will be reviewed according to the provisions of the Becker County Zoning Ordinance.

The decision whether to issue a Permit will be based on an evaluation of the probable impact including cumulative impacts, of the proposed activity. That decision will reflect the concern for both protection and utilization of important resources. All factors which may be relevant to the proposal will be considered including the cumulative effects: Land Use, Shoreline Protection, Water Supply and Conservation, Safety, Economics, in General, the Needs and Welfare of the People.

** Weather conditions may change the Hearing date and time. If bad weather occurs, please listen to the local Detroit Lakes Radio Stations or contact the Zoning Office, by 4:30 pm, for possible rescheduling of the Hearing.





~ CONDITIONAL USE APPLICATION ~

PARCEL	210071001
APP	CUP
YEAR	2016
SCANNED	


BECKER COUNTY PLANNING & ZONING
915 LAKE AVENUE, DETROIT LAKES, MN 56501
PHONE (218) 846-7314 - FAX (218) 846-7266

PROPERT	Y OWNER INFORMATION (as it app	ears on tax statement, purchase agreement or deed)
First name(s	s): Adam	Last name: Williams
Mailing Ad	dress: 5850/ Grant St.	Last name: Williams City, State, Zip Park Rapids, MN SC4
Phone Num	nber(s): 2/8-252-5532	Project Address: S8SOI Gonat St. (House
Parcel numb	ber(s) of property: 2/007/00/	Project Address: S8SO/ Grant St (House 58505 Grant St (Business) Sect - Twp - Range: Sect - 13 fup-14
Township N	Name: OSage Legal I	Description:
Section	13 Twp140 Range	Description:
REASON	FOR CONDITIONAL USE REQU	EST: Shrimp farm
		al and accurate to the best of my knowledge. I understand information is not supplied or is inaccurate. $O S/23/20/4$
SIG	NATURE OF APPLICANT	DATE
1. 2 2. 0 1 3. 1	A copy of the deed from the Recorder's O Completed Site Application with sketch sl lot and all existing and proposed buildings	howing all setbacks, platted or surveyed dimensions of the s; parking area and all other materials deemed necessary. In Cormorant Township add \$25.00 surcharge to the filing tecker County Zoning. MAY 2 6 2016 ter the fact? [] Yes [X] No
*****	***************	**************
Office Use	Only	
This	s application is hereby (accepted) or (rejec	eted) as presented.
Juli	enelled from Moning	1ech 5/26/16
\ SIG	INATURE – ZONING ADMINISTRÁTO	OR DATE

PARCEL	210071001,
APP	CUP
YEAR	20/4

05/23/2014

BUSINESS PLAN
Name of Business: Williams Shrimp Garm LLC
Owners of Business: Adam Williams
Type of Business: Retail Sales Service Other
Type of Merchandise: Pacific white Shrimp, Shrimp Deveiner Tools
Type of Service: Live Shrimp for Sale
Hours of Operation: Likely one-two the day a month
Number of Employees: 1-2 only Family members
Off-street Parking Plan: North side of Farm Large Clearing
Size of Structure to be used for Business: $32x54$
New Structure: Existing Structure:
Signage Plan: 4X8 Sign on Property
Exterior Lighting Plan: 1-2 yard lights
Environmental Hazards: M/A
Other Comments: My Shrimp Farm will raise Pacific White
Shrimpa Mann The shrimp will be sold line to customers +
put on ice. I will also sell deveiner tools. Hon-s will
be 1-2 days a month or until all shrimp grown to
Size Sell.
Building will be 32x 54. Front office will be a
Stick & built structure. The rear / water tanks will be 4
8+40 shipping containers. Plenty of parking on lot + new drive
to Grant St. will be constancted. No susaye Septic / Bath in
Farm building, will be water into building.







Application for Site Permit Becker County Planning and Zoning 915 Lake Ave, Detroit Lakes, MN 56501 Phone: 218-846-7314 Fax: 218-846-7266

www.co.becker.mn.us

PARCEL	210071001
APP	SITE
YEAR	7014
SCANNED	

Property will be staked by

Date:

	nformation				
Parcel Number (s)	Property (E911) Ac	Idress X ***	911 Address Needed	Legal Description	T.10140
210071001	7	58505 (Scant St.	Legal Description Section 13 Range O SU	Tweel C
		00000	Frant St.	Range O SU	WILSSOT
Lake/River Name	I I Di CI		rank napidis		
(4)	Lake/River Class	ss Township	Name Section	TWP No.	Range
NIA					
		10-10-10-10-10-10-10-10-10-10-10-10-10-1			
Property Owner Last	Name First Name	Mailing Addre	8501 Grant : rk Rapids, M	Phone 218-	-252-5532
W	Iliams Itaa	m S	8501 Orani :	51-	
Contractor Name Lic # A	111	Pa	rk Ripids N	11 54470	
			- 1		
Proposed Project (Check	those that apply)				
New Dwelling	Addition to Dwelli	ing Replace	ement Dwelling* Mobil	le/Manfac. Home	
Attached Garage	Detached Garage	Storage	Structure Addit	ion to Non-dwelling	
Stairway Fence	Deck Shrimf	Non (Conforming Replacement (id	Oriented Structure	
*Existing Dwelling to be ren	noved prior to				
Onsite Water Supply				201	
MN Rules Chapter 4725 (MI	N well code) requires a 3	3' minimum structu	re setback to well		
Onsite Sewage Treatmen	nt Svetom				
Type of System N/A		Date of Instal	lation	Last Date Certified	
Must have current certificate	of compliance on septic	system prior to iss	suance of a permit	Lust Dute Certificu	
Lot Information	Shoreland () Riparian (Non Riparian	Non Shoreland X	_
	72-200	5)			
Lot Area	_sqft_or70	acres	Water FrontageC	ft Bluff ()	Yes (X) No
Lot Area Impervious coverage refe	sq ft or	acres cannot pass thro	Water FrontageCugh. Structures, areas co	ft Bluff () vovered by a roof, concre	Yes (X) No ete, asphalt, Class 5,
Lot Area Impervious coverage refe sidewalks, patio pavers, et	sq ft or 70	acres cannot pass thro	Water FrontageCugh. Structures, areas contion. Decks should be in	ft Bluff () vered by a roof, concrectly of the concrete cluded in this calculation	Yes (X) No ete, asphalt, Class 5, on if they have plastic
Lot Area Impervious coverage refe	sq ft or 70 rs to anything water c. should all be included sous surface undernear	acres cannot pass thro ded in this calcula th. Anytime yo	Water Frontage	ft Bluff () vered by a roof, concrectly of the concrete cluded in this calculation	Yes (X) No ete, asphalt, Class 5, on if they have plastic
Lot Area Impervious coverage refe sidewalks, patio pavers, e underlayment or impervi	sq ft or 70 rs to anything water c. should all be included sous surface undernear	acres cannot pass thro ded in this calcula th. Anytime yo	Water Frontage	ft Bluff () vered by a roof, concrectly of the concrete cluded in this calculation	Yes (X) No ete, asphalt, Class 5, on if they have plastic
Lot Area Impervious coverage refe sidewalks, patio pavers, e underlayment or impervi	sq ft or	acres cannot pass thro ded in this calculate. Anytime your part of the calculate of the cal	Water Frontage ugh. Structures, areas contion. Decks should be in ou exceed 15% lot cover SIN CALCULATION.	ft Bluff () overed by a roof, concrectly a roof, concretely a roof, c	Yes (X) No ete, asphalt, Class 5, in if they have plastic agement plan and/or
Lot Area Impervious coverage refe sidewalks, patio pavers, e underlayment or impervimitigation is required. IN Please Note: Unless	sq ft or 70 rs to anything water to should all be included by surface undernear CLUDE PROPOSEL otherwise provided	acres cannot pass thro ded in this calculath. Anytime you STRUCTURES	Water Frontage cugh. Structures, areas contion. Decks should be into exceed 15% lot cover in CALCULATION. of a 12 foot wide dri	ft Bluff () Novered by a roof, concrected in this calculation age a stormwater manage with the near the storm of the near the	Yes (X) No ete, asphalt, Class 5, on if they have plastic agement plan and/or rest road right of
Lot Area	sq ft or 70 rs to anything water to should all be included by surface undernear CLUDE PROPOSEL otherwise provided	acres cannot pass thro ded in this calculath. Anytime you STRUCTURES d, a minimum necluded in bott	Water Frontage	ft Bluff () yovered by a roof, concrected in this calculation age a stormwater manage with the near ryious surface calculation.	Yes (X) No ete, asphalt, Class 5, on if they have plastic agement plan and/or rest road right of plation.
Lot Area	sq ft or 70 rs to anything water to should all be included by surface undernear CLUDE PROPOSEL otherwise provided tructure must be in	acres cannot pass thro ded in this calculath. Anytime you STRUCTURES d, a minimum necluded in bott	Water Frontage Cugh. Structures, areas contain. Decks should be in the exceed 15% lot cover in CALCULATION. of a 12 foot wide drift hyour plan and impe	ft Bluff () yovered by a roof, concrected in this calculation age a stormwater manage with the near ryious surface calculation.	Yes (X) No ete, asphalt, Class 5, on if they have plastic agement plan and/or rest road right of plation.
Lot Area	sq ft or	acres cannot pass thro ded in this calculath. Anytime you STRUCTURES d, a minimum necluded in bott	Water Frontage	ft Bluff () yovered by a roof, concrected in this calculation age a stormwater manage with the near ryious surface calculation.	Yes (X) No ete, asphalt, Class 5, on if they have plastic agement plan and/or rest road right of plation.
Lot Area	sq ft or	acres cannot pass thro ded in this calculath. Anytime you STRUCTURES d, a minimum necluded in bott	Water Frontage	ft Bluff () yovered by a roof, concrected in this calculation age a stormwater manage with the near ryious surface calculation.	Yes (X) No ete, asphalt, Class 5, on if they have plastic agement plan and/or rest road right of plation.
Lot Area	sq ft or	acres cannot pass thro ded in this calculath. Anytime you structures d, a minimum included in both p. Footage	Water Frontage	ft Bluff () yovered by a roof, concrected in this calculation age a stormwater manage with the near ryious surface calculation.	Yes (X) No ete, asphalt, Class 5, on if they have plastic agement plan and/or rest road right of plation.
Lot Area	sq ft or	acres cannot pass thro ded in this calculate. Anytime yet of STRUCTURES and, a minimum included in both protage	Water Frontage	ft Bluff () yovered by a roof, concrected in this calculation age a stormwater manage with the near ryious surface calculation.	Yes (X) No ete, asphalt, Class 5, on if they have plastic agement plan and/or rest road right of plation.
Lot Area	sq ft or	acres cannot pass thro ded in this calculate. Anytime yet of STRUCTURES and, a minimum included in both protage	Water Frontage	ft Bluff () yovered by a roof, concrected in this calculation age a stormwater manage with the near ryious surface calculation.	Yes (X) No ete, asphalt, Class 5, on if they have plastic agement plan and/or rest road right of plation.
Lot Area	sq ft or	acres cannot pass thro ded in this calculate. Anytime yet of STRUCTURES and, a minimum included in both protage	Water Frontage	ft Bluff () Novered by a roof, concrected in this calculation age a stormwater manage as the stormwater manage as the stormwater manage as the stormwater manage with the stormwater manage and stormwater manage as the stormwater management of the stormwater manage	Yes (X) No ete, asphalt, Class 5, on if they have plastic agement plan and/or rest road right of plation.
Lot Area Impervious coverage refe sidewalks, patio pavers, et underlayment or impervious mitigation is required. IN Please Note: Unless way to the proposed s Impervious Surface On property Ex: Patio DRIVEWAY Office / Tanks	sq ft or	acres cannot pass thro ded in this calculate. Anytime yet of STRUCTURES and, a minimum included in both protage	Water Frontage	ft Bluff () Novered by a roof, concrected in this calculation age a stormwater manage as the st	Yes (X) No ete, asphalt, Class 5, on if they have plastic agement plan and/or rest road right of ulation. Sq. Footage
Lot Area	sq ft or	acres cannot pass thro ded in this calculate. Anytime yet of STRUCTURES and, a minimum included in both protage	Water Frontage	ft Bluff () Novered by a roof, concrected in this calculation age a stormwater manage as the st	Yes (X) No ete, asphalt, Class 5, in if they have plastic agement plan and/or rest road right of ilation. Sq. Footage
Lot Area Impervious coverage refe sidewalks, patio pavers, et underlayment or impervious mitigation is required. IN Please Note: Unless way to the proposed s Impervious Surface On property Ex: Patio DRIVEWAY Office / Tanks	sq ft or	acres cannot pass thro led in this calcula th. Anytime you OSTRUCTURES d, a minimum nucluded in bot p. Footage	Water Frontage	ft Bluff () Novered by a roof, concrected in this calculation age a stormwater manage as the st	Yes (X) No ete, asphalt, Class 5, on if they have plastic agement plan and/or rest road right of ulation. Sq. Footage
Impervious coverage refesidewalks, patio pavers, et underlayment or impervimitigation is required. IN Please Note: Unless way to the proposed suppervious Surface On property Ex: Patio DRIVEWAY Office / Tanks Impervious Lot Coverage	sq ft or	acres cannot pass thro led in this calcula th. Anytime you OSTRUCTURES d, a minimum nucluded in bot p. Footage	Water Frontage	ft Bluff () Novered by a roof, concrected in this calculation age a stormwater manage as the st	Yes (X) No ete, asphalt, Class 5, in if they have plastic agement plan and/or rest road right of ilation. Sq. Footage
Impervious coverage refesidewalks, patio pavers, et underlayment or impervimitigation is required. IN Please Note: Unless way to the proposed supervious Surface On property Ex: Patio DRIVEWAY OGLice Tanks Impervious Lot Coverage Topographical Alterate	sq ft or	acres cannot pass thro ded in this calcula th. Anytime you OSTRUCTURES d, a minimum ncluded in bot 1. Footage	Water Frontage	pervious Material 100 =	Yes (X) No ete, asphalt, Class 5, in if they have plastic agement plan and/or rest road right of ilation. Sq. Footage
Lot Area Impervious coverage refe sidewalks, patio pavers, et underlayment or impervi mitigation is required. IN Please Note: Unless way to the proposed s Impervious Surface On property Ex: Patio DRIVEWAY Office / Tanks Impervious Lot Coverage Topographical Alterat () None () 10 cubi	sq ft or	acres cannot pass thro ded in this calcula th. Anytime you OSTRUCTURES d, a minimum ncluded in bot 1. Footage Lot Area	Water Frontage	pervious Material 100 =	Yes (X) No ete, asphalt, Class 5, in if they have plastic agement plan and/or rest road right of ilation. Sq. Footage

Characteristics of Proposed Dwelling/Dwelling Ad ()Dwellingft byft () A	ttached Garage ft x ft
Outside Dimension ()Deck/Patio ft x ft ()A	Addition to existing ft x ft
Setback to Side Lot Line ft & Rear Lot Line ft	Setback to Road Right of Way ft
Setback to Bluff	Type of road
Setback to Wetland	Is wetland protected () Yes () No
Setback to OHW (straight horizontal distance)	Elevation above OHW (Straight vertical distance)
Setback to septic tank	Setback to drainfield
Total No. Bedrooms	Maximum height proposed # of Stories
Roof Change () Yes () No	Basement () Yes () No Walkout Basement () Yes () No
	welling Additions/Detached Garages/Storage Sheds _ft () Fence ft long x high (i) other Shing for ZZ ft x S 4 ft
Outside Difference () Addition to existing structure it x Out 200 Setback to Lot Line ft & Rear Lot Line ft	C . CD .
Setback to Bluff_N/A	Type of road Dirt Road 17,280
Setback to Wetland	Setback to Road Right of Way ft Type of road Dirt Road 17,280 Is wetland protected () Yes () No Cost of Project \$ 15,000 17,280 Per Sche
Setback to OHW (straight horizontal distance)	Elevation above OHW (Straight vertical distance)
Setback to septic tank	Salvator de Gald M/A
Roof Change () Yes () No W//	Maximum height proposed # of Stories
Bathroom proposed () Yes () No *Garages and storage sheds cannot contain amenities for inde	Sleeping Quarters proposed () Yes () No
Characteristics of Proposed Water Oriented Structure () Stairway () Deck () Boathouse () Screen P	
Outside Dimension ft by ft	Sq ft
Setback to Lot Line ft & ft	Setback to Bluff
Setback to OHW (straight horizontal distance)	Elevation above OHW (Straight vertical distance)
Setback to septic tank	Setback to drainfield
Maximum height proposed*Sleeping facil	lities or water supplies are not permitted in these structures
AS SET FORT I hereby certify with my signature that all data contained knowledge. I also understand that, once issued, a permit is is located within the shoreland district, I understand that building footings have been constructed. A Site Permit me	ND DOES NOT CONSTITUTE A BUILDING PERMIT ITH IN MN STATE STATUTES. It herein as well as all supporting data are true and correct to the best of my is valid for a period of one (1) year from the date of issuance. If my property it it is my responsibility to inform the Planning & Zoning Office once the ay be revoked at any time upon violation of said Ordinances and approved station of this permit and a new permit will have to be obtained.
	05/21/2016
Si amatawa	
Signature	Date


SKETCH OF PROPERTY

1. Please sketch all impervious coverage on your property; include dimensions.

PARCEL	
APP	SITE
YEAR	

- 2. Sketch roadways adjacent to property Include driveway location.
- 3. If you will be exceeding 15% impervious surface coverage, include a copy of your stormwater management plan. This applies to ANY lot that exceeds 15% coverage.
- 4. If proposed project is a detached garage/storage shed that will exceed 1 story, include detailed design.





Please use best management practices and/or silt fence to control erosion on all projects.



COUNTY OF BECKER

Planning and Zoning

915 Lake Ave, Detroit Lakes, MN 56501 Phone: 218-846-7314 ~ Fax: 218-846-7266

Project Location: 20241 County Road 22

FAX Number: 218-846-7266

email: zoning@co.becker.mn.us

PLANNING COMMISSION NOTICE OF PUBLIC HEARING

HEARING DATE AND LOCATION July 12, 2016 @7:00 PM

3rd Floor Jury Assembly Room New Addition-Becker County Courthouse Detroit Lakes, MN. 56502

APPLICANT: Kyle and Elizabeth Lade

20201 County Highway 22 Detroit Lakes, MN 56501

APPLICATION AND DESCRIPTION OF PROJECT:

Request a Conditional Use Permit to operate a Rental Storage Building for monthly rental on Agricultural zoned property.

LEGAL LAND DESCRIPTION: 170389000 Lake Eunice Township SE1/4 NW1/4; PT W1/2 NW1/4: COMM W QTR COR, E 374' TO POB; N 1153.08', W 381.8', N TO N LN NW1/4, E TO E LN NW1/4, S TO S LN NW1/4, W TO POB., Section 34, TWP 138, Range 42

REFER TO BECKER COUNTY ZONING ORDINANCE

Replies/Comments: Interested parties are invited to submit to the Becker County Department of Planning, Zoning, and Land Use, written facts, arguments or objectives before the scheduled date of the Hearing. These statements should bear upon the suitability of the location and the adequacy of the Project and should suggest any appropriate changes believed to be desirable. Replies may be addressed to:

PLANNING AND ZONING DEPARTMENT 915 Lake Avenue Detroit Lakes, MN. 56501


If you have questions about the Project, feel free to call 218-846-7314.

Jurisdiction: This Project comes under the Regulatory Jurisdiction of the Becker County Zoning Laws.

Regulatory Authority: This Application will be reviewed according to the provisions of the Becker County Zoning Ordinance.

The decision whether to issue a Permit will be based on an evaluation of the probable impact including cumulative impacts, of the proposed activity. That decision will reflect the concern for both protection and utilization of important resources. All factors which may be relevant to the proposal will be considered including the cumulative effects: Land Use, Shoreline Protection, Water Supply and Conservation, Safety, Economics, in General, the Needs and Welfare of the People.

** Weather conditions may change the Hearing date and time. If bad weather occurs, please listen to the local Detroit Lakes Radio Stations or contact the Zoning Office, by 4:30 pm, for possible rescheduling of the Hearing.





~ CONDITIONAL USE APPLICATION ~

BECKER COUNTY PLANNING & ZONING 915 LAKE AVENUE, DETROIT LAKES, MN 56501 PHONE (218) 846-7314 - FAX (218) 846-7266

PARCEL	- tj. i venja ili
APP	CUP
YEAR	
SCANNED	

PROPERTY OWNER INFORMATION (as it appears on tax statement, purchase agreement or deed)
First name(s): Kyle + Elizabeth lasse Last name: Lade
Mailing Address: 20201 Cty Huy 22 City, State, Zip Demoit Calos, mn 576501
Phone Number(s): 101 - 219 - 0564 101 - 219 - to 3 Project Address: 20241 Cty Rd 27
Parcel number(s) of property: 17,0389,000 Sect - Twp - Range: Sect - 34, 138,04
Township Name: Lake Lunice Legal Description: 34-138-42 SE Y4 MW 14;
PTW12 NW14: Comm W Otr Cor, & 374' to Pobin
1153.08, W 3818, N to N Ln NW14, & to & LN NW14, Sto SIA
REASON FOR CONDITIONAL USE REQUEST: Storage building
RECEIVED
JUN 0 1 2016
ZONING
The information provided for this document is truthful and accurate to the best of my knowledge. I understand that this statement is null and void if any of the above information is not supplied or is inaccurate.
OTHER INFORMATION NEEDED TO COMPLETE THE APPLICATION: 1. A copy of the deed from the Recorder's Office;
 Completed Site Application with sketch showing all setbacks, platted or surveyed dimensions of the lot and all existing and proposed buildings; parking area and all other materials deemed necessary.
 Non-refundable filing fee of \$326.00. If in Cormorant Township add \$25.00 surcharge to the filing fee (\$351.00). Make check payable to Becker County Zoning.
4. Is the conditional use permit request after the fact? [] Yes [] No
If yes, after the fact application fee is an additional \$600.00.

Conce Joseph Jones Tech 6/13/16 SIGNATURE - ZONING ADMINISTRATION DATE

PARCEL	9.49 S.
APP	CUP
VEAR	

BUSINESS PLAN
Name of Business: Kalling Flores Storage
Owners of Business: Elizabeth Lade + Jim Meitzke
Type of Business: Retail Sales Service Other
Type of Merchandise: Storage
Type of Service: Storage
Hours of Operation: 8-5pm
Number of Employees: 2
Off-street Parking Plan: 10 on Street parking
Size of Structure to be used for Business: 40×150
New Structure: VES Existing Structure: VO
Signage Plan: UES
Exterior Lighting Plan: No power to building
Environmental Hazards: None
Other Comments:

SKETCH OF PROPERTY

1. Please sketch all impervious coverage on your property; include dimensions.


PARCEL	
APP	SITE
YEAR	

2. Sketch roadways adjacent to property - Include driveway location.

3. If you will be exceeding 15% impervious surface coverage, include a copy of your stormwater management plan. This applies to ANY lot that exceeds 15% coverage.

4. If proposed project is a detached garage/storage shed that will exceed 1 story, include detailed design.

5. Indicate where erosion control measures will be implemented and indicate storm water drainage pattern and how it will be maintained on the property.





This map is not a substitute for accurate field surveys or for locating actual property lines and any adjacent features.



Application for Site Permit Becker County Planning and Zoning 915 Lake Ave, Detroit Lakes, MN 56501 Phone: 218-846-7314 Fax: 218-846-7266

-846-7314 Fax: 218-846-7266 www.co.becker.mn.us

PARCEL	
APP	SITE
YEAR	
SCANNED	-

Project must be staked out on the lot prior to permit being approved

D 137 1 ()	ntormation	duiose 111			
Parcel Number (s)	Property (E911) Addr	ess**911 Addre	_	Description	
170389006	20241 (0 Huy 22	See	attached	
				• • • • • • • • • • • • • • • • • • • •	
Lake/River Name	Lake/River Class	Township Name	Section	TWP No. Range	
	***	LAKE EUNK	= 34	138 42	ļ
		CIIPO EUNIL	6		
Property Owner Last	Name First Name	Mailing Address		Phone	
Kyle Lade		20201 CO Hw	1 22	218.439.348	,
\ \ \	•	COZOI CO HIO	1 22	7/10、701,270	
Contractor Name Lic #					
Proposed Project (Chec	k those that apply)				
New Dwelling	Addition to Dwelling		lling* Mobile/Manfac		1
Attached Garage Stairway	Detached Garage Deck	X Storage Structure Recreational Unit			
Fence	Other		Replacement (identify)		<u></u>
*Existing Dwelling to be rea	noved prior to			B TO THE SECTION ASSESSMENT	, IS
Oneite Weter Comple	/ Door Wall /	Challery Wall W	all Donth	RECEIVED	
Onsite Water Supply MN Rules Chapter 4725 (M			ell Depth to well	JUN 0 1 2016	and the second
,				7 7 2010	
Onsite Sewage Treatme	nt System	D CY 1111	2015 Last Da	te Certified ZONING	
Type of System Must have current certificate	e of compliance on sentic sy	Date of Installation	- Dust Du	e Cerumed	4
	<u> </u>	,	F	. /	
Lot Information	CI I I () I	Rinarian () Non Ri	narian Non Sh	oreland X	
Lot information	Shoreland ()]	capanan () Non Kij	parian 100 Da		
	1.	ñ	•		
Lot Area	sq ft or	acres Water	· Frontage f	t Bluff () Yes () N	
Lot Area Impervious coverage refe	sq ft or	acres Water	Frontagef		Class 5,
Lot Area	sq ft or	acres Water annot pass through. Strud d in this calculation. Dec . Anytime you exceed	Frontagef actures, areas covered by cks should be included in 15% lot coverage a st	t Bluff () Yes () Ny a roof, concrete, asphalt, (Class 5, plastic
Lot Area Impervious coverage refe sidewalks, patio pavers, e	sq ft or	acres Water annot pass through. Strud d in this calculation. Dec . Anytime you exceed	Frontagef actures, areas covered by cks should be included in 15% lot coverage a st	t Bluff () Yes () Ny a roof, concrete, asphalt, on this calculation if they have	Class 5, plastic
Lot Area Impervious coverage refesidewalks, patio pavers, eunderlayment or impervinitigation is required. In	sq ft or sq ft or sq ft or stc. should all be included ious surface underneath NCLUDE PROPOSED S	acres Water acres Water annot pass through. Struct d in this calculation. Dec. Anytime you exceed STRUCTURES IN CAL	Frontagef actures, areas covered by the cks should be included in 15% lot coverage a st CULATION.	t Bluff () Yes () N y a roof, concrete, asphalt, on this calculation if they have ormwater management plan	Class 5, plastic and/or
Lot Area Impervious coverage refesidewalks, patio pavers, eunderlayment or impervinitigation is required. If Please Note: Unless	sq ft or sq ft or stress to anything water case to should all be included ious surface underneath NCLUDE PROPOSED Stress otherwise provided,	acres Water annot pass through. Struction of a 12	Frontagef actures, areas covered by the should be included in 15% lot coverage a st CULATION. foot wide driveway	t Bluff () Yes () Ny a roof, concrete, asphalt, on this calculation if they have ormwater management plants	Class 5, plastic and/or
Lot Area	sq ft or	acres Water acres water annot pass through. Struct in this calculation. Dec anytime you exceed structures in CAL a minimum of a 12 cluded in both your p	Frontagef ectures, areas covered by ecks should be included in 15% lot coverage a st CULATION. foot wide driveway lan and impervious	t Bluff () Yes () Ney a roof, concrete, asphalt, on this calculation if they have ormwater management plants from the nearest road resurface calculation.	Class 5, plastic and/or and/or
Lot Area Impervious coverage refesidewalks, patio pavers, eunderlayment or impervinitigation is required. If Please Note: Unless	sq ft or sq ft or stress to anything water case to should all be included ious surface underneath NCLUDE PROPOSED Stress otherwise provided,	acres Water acres Water annot pass through. Struct d in this calculation. Dec Anytime you exceed STRUCTURES IN CAL a minimum of a 12 cluded in both your p Footage In	Frontagef actures, areas covered by the should be included in 15% lot coverage a st CULATION. foot wide driveway	t Bluff () Yes () Ny a roof, concrete, asphalt, on this calculation if they have ormwater management plants	Class 5, plastic and/or and/or
Lot Area Impervious coverage refisidewalks, patio pavers, eunderlayment or impervinitigation is required. If Please Note: Unless way to the proposed Impervious Surface On property	sq ft or	acres Water acres Water annot pass through. Struct d in this calculation. Dec Anytime you exceed STRUCTURES IN CAL a minimum of a 12 cluded in both your p Footage In	Frontagef ctures, areas covered by cks should be included in 15% lot coverage a st CULATION. foot wide driveway lan and impervious apervious Surface	t Bluff () Yes () Ney a roof, concrete, asphalt, on this calculation if they have ormwater management plants from the nearest road resurface calculation.	Class 5, plastic and/or and/or
Lot Area Impervious coverage refisidewalks, patio pavers, eunderlayment or impervinitigation is required. If Please Note: Unless way to the proposed Impervious Surface On property Ex: Patio	sq ft or	acres Water acres Water annot pass through. Struct d in this calculation. Dec Anytime you exceed STRUCTURES IN CAL a minimum of a 12 cluded in both your p Footage In	Frontagef ctures, areas covered by cks should be included in 15% lot coverage a st CULATION. foot wide driveway lan and impervious apervious Surface	t Bluff () Yes () Ney a roof, concrete, asphalt, on this calculation if they have ormwater management plants from the nearest road resurface calculation.	Class 5, plastic and/or and/or
Lot Area Impervious coverage refisidewalks, patio pavers, eunderlayment or impervinitigation is required. If Please Note: Unless way to the proposed Impervious Surface On property	sq ft or	acres Water acres Water annot pass through. Struct d in this calculation. Dec Anytime you exceed STRUCTURES IN CAL a minimum of a 12 cluded in both your p Footage In	Frontagef ctures, areas covered by cks should be included in 15% lot coverage a st CULATION. foot wide driveway lan and impervious apervious Surface	t Bluff () Yes () Ney a roof, concrete, asphalt, on this calculation if they have ormwater management plants from the nearest road resurface calculation.	Class 5, plastic and/or and/or
Lot Area Impervious coverage refisidewalks, patio pavers, eunderlayment or impervinitigation is required. If Please Note: Unless way to the proposed Impervious Surface On property Ex: Patio	sq ft or	acres Water acres Water annot pass through. Struct d in this calculation. Dec Anytime you exceed STRUCTURES IN CAL a minimum of a 12 cluded in both your p Footage In	Frontagef ectures, areas covered by ecks should be included in 15% lot coverage a st CULATION. foot wide driveway lan and impervious apervious Surface a property	t Bluff () Yes () New a roof, concrete, asphalt, on this calculation if they have commuter management plants from the nearest road resurface calculation. Dimensions Sq. Food	Class 5, plastic and/or and/or
Lot Area Impervious coverage refisidewalks, patio pavers, eunderlayment or impervinitigation is required. If Please Note: Unless way to the proposed Impervious Surface On property Ex: Patio	sq ft or	acres Water acres Water annot pass through. Struct d in this calculation. Dec Anytime you exceed STRUCTURES IN CAL a minimum of a 12 cluded in both your p Footage In	Frontagef ctures, areas covered by cks should be included in 15% lot coverage a st CULATION. foot wide driveway lan and impervious apervious Surface	t Bluff () Yes () New a roof, concrete, asphalt, on this calculation if they have commuter management plants from the nearest road resurface calculation. Dimensions Sq. Food	Class 5, plastic and/or and/or
Lot Area Impervious coverage refisidewalks, patio pavers, eunderlayment or impervinitigation is required. If Please Note: Unless way to the proposed Impervious Surface On property Ex: Patio	sq ft or	acres Water acres Water annot pass through. Struct d in this calculation. Dec Anytime you exceed STRUCTURES IN CAL a minimum of a 12 cluded in both your p Footage In	Frontagef ectures, areas covered by ecks should be included in 15% lot coverage a st CULATION. foot wide driveway lan and impervious apervious Surface a property	t Bluff () Yes () New a roof, concrete, asphalt, on this calculation if they have commuter management plants from the nearest road resurface calculation. Dimensions Sq. Food	Class 5, plastic and/or and/or
Lot Area Impervious coverage refisidewalks, patio pavers, eunderlayment or impervinitigation is required. If Please Note: Unless way to the proposed Impervious Surface On property Ex: Patio	sq ft or	acres Water mnot pass through. Struct d in this calculation. Dec Anytime you exceed STRUCTURES IN CAL a minimum of a 12 cluded in both your p Footage In Or	Frontagef ectures, areas covered by ecks should be included in 15% lot coverage a st CULATION. foot wide driveway lan and impervious apervious Surface a property	t Bluff () Yes () New a roof, concrete, asphalt, on this calculation if they have commuter management plants from the nearest road resurface calculation. Dimensions Sq. Food	Class 5, plastic and/or and/or
Lot Area Impervious coverage ref sidewalks, patio pavers, e underlayment or imperv mitigation is required. II Please Note: Unless way to the proposed Impervious Surface On property Ex: Patio DRIVEWAY	sq ft or	acres Water acres Water annot pass through. Struct d in this calculation. Dec Anytime you exceed STRUCTURES IN CAL a minimum of a 12 cluded in both your p Footage In	Frontagef cetures, areas covered by cks should be included in 15% lot coverage a st CULATION. foot wide driveway clan and impervious apervious Surface a property Total Imperviou x 100 =	t Bluff () Yes () Ny a roof, concrete, asphalt, on this calculation if they have commuter management plans from the nearest road resurface calculation. Dimensions Sq. Food	Class 5, plastic and/or and/or
Lot Area Impervious coverage ref sidewalks, patio pavers, e underlayment or imperv mitigation is required. II Please Note: Unless way to the proposed Impervious Surface On property Ex: Patio DRIVEWAY	sq ft or	acres Water mnot pass through. Struct d in this calculation. Dec Anytime you exceed STRUCTURES IN CAL a minimum of a 12 cluded in both your p Footage In Or	Frontagef cetures, areas covered by cks should be included in 15% lot coverage a st CULATION. foot wide driveway clan and impervious apervious Surface a property Total Imperviou x 100 =	t Bluff () Yes () Ny a roof, concrete, asphalt, on this calculation if they have formwater management plans from the nearest road resurface calculation. Dimensions Sq. Foods	Class 5, plastic and/or and/or

() None () 10 cubic yards or less (×)11-50 cubic yards () over 50 cubic yards

Project over 50 cubic yards a storm water management plan must be included with permit application.

Characteristics of Proposed Dwellin ()Dwelling ft by	g/Dwelling Additions/Attached Garage/Decks ft () Attached Garageft xft
	ft ()Addition to existing ft x ft
Setback to Side Lot Line ft & Rear Lot I	
Setback to Bluff	Type of road
Setback to Wetland	Is wetland protected () Yes () No
Setback to OHW (straight horizontal distance)	
Setback to septic tank	Setback to drainfield
Total No. Bedrooms	Maximum height proposed # of Stories
Roof Change () Yes () No	Basement () Yes () No Walkout Basement () Yes () No
()Garageft byft XStorage She	elling/Non Dwelling Additions/Detached Garages/Storage Sheds d 40 ft x 150 ft () Fenceft long xhigh () other ft xft cture ft x ft () Fenceft xft
	Cost of Project
Setback to Lot Line 100 ft & Rear Lot Line	
Setback to Bluff	Type of road County Road
Setback to Wetland	Is wetland protected () Yes () No
Setback to OHW (straight horizontal distance)	Elevation above OHW (Straight vertical distance)
Setback to septic tank _300	Setback to drainfield
Roof Change () Yes () No	Maximum height proposed ZZ' # of Stories
Bathroom proposed () Yes (X) No *Garages and storage sheds cannot contain a	→Sleeping Quarters proposed () Yes (★) No menities for independent human habitation
Characteristics of Proposed Water C () Stairway () Deck () Boathouse Outside Dimension ft by ft	Oriented Structure* Cost of Project \$ Sq.ft Sq.ft
Setback to Lot Line ft & ft	Sethack to Bluff
Setback to OHW (straight horizontal distance)	Elevation above QHW (Straight vertical distance)
Setback to septic tank	Setback to drainfield
Maximum height proposed	*Sleeping facilities or water supplies are not permitted in these structures
I hereby certify with my signature that all knowledge. I also understand that, once is is located within the shoreland district, I building footings have been constructed. A	MIT ONLY AND DOES NOT CONSTITUTE A BUILDING PERMIT AS SET FORTH IN MN STATE STATUTES. data contained herein as well as all supporting data are true and correct to the best of my sued, a permit is valid for a period of one (1) year from the date of issuance. If my property understand that it is my responsibility to inform the Planning & Zoning Office once the Site Permit may be revoked at any time upon violation of said Ordinances and approved esults in nullification of this permit and a new permit will have to be obtained

Project must be staked out on the lot prior to approval of permit. Project will be staked by (date)

Signature\

6/01/16 Date